

**MINUTES OF THE MEETING OF THE AMENITIES AND OPEN SPACES COMMITTEE
HELD ON 10th NOVEMBER 2004 AT 7.30 p.m. AT THE PAVILION, MANOR FIELD**

Present: Cllr Mr A Barnett (Chairman)
Cllr Mr J Gaywood (*arrived at 7.55 p.m.*)
Cllr Mrs A Oxtoby
Cllr Mr V Sewell
Cllr Mrs M Solman
Cllr Mr A Tremain
Mr A Gray (Hartley De Sales FC)

In Attendance: Mrs J Hoad (Clerk)

1. Apologies for absence

Apologies had been received from Cllr Mr C Ward and Mr T Wade (Meopham CC).

2. Minutes of the last meeting

RESOLVED: That, the minutes of the meeting of the Amenities and Open Spaces Committee held on 29th September 2004 be approved and signed as a correct record.

3. Declarations of Interest

Cllr Mr A Tremain declared a personal interest under minute item 12, on matters relating to Gorse Wood as his private residence adjoins the wood.

Cllr Mr A Barnett declared a personal interest under minute item 10 (a), on matters relating to the purchase of a new noticeboard at the allotments, as he is an allotment holder.

Cllr Mr J Gaywood declared a personal interest under minute item 15, on matters relating to the purchase of a new bench to be fitted on Hartley Green, as his private residence overlooks Hartley Green.

Cllr Mrs A Oxtoby declared a personal interest under minute item 16 on matters relating to the application to designate part of Hartley Wood as a Village Green as her private residence adjoins the wood.

4. Football at Manor Field

Hartley De Sales FC reported that the quality of the line marking had been, so far, been very good and that the two weekly marking schedule appeared to be entirely satisfactory. The grass was long in places, but the football club appreciated the difficulties of getting large grass cutting equipment onto the field whilst the ground is so wet. It was also reported that worm casts had once again started to appear but the current situation was tolerable. Generally the football club was very pleased with the facilities at Manor Field and thanked the Parish Council for all its assistance.

Mr Gray left the meeting at 7.46 p.m.

5. Cricket at Manor Field

There was nothing to report from New Ash Green and Hartley Cricket Club. Hextable Cricket Club's AGM will take place on 5th December 2004.

6. Cricket at Longfield Hill

The Clerk read a report from Meopham Cricket Club. The cricket square had been prepared in readiness for next season and that there had been a 90% success rate with the reseeded of the square.

7. Financial Statement

The Committee considered a summary of receipts and payments for the allotments, Council's open spaces and Manor Field Pavilion as at 4th November 2004. The Committee was satisfied that with careful monitoring projected expenditure to the end of the year would be within budget.

RESOLVED: That, the summary of receipts and payments indicating the net position of the Council's allotments, open spaces and Manor Field Pavilion as at 4th November 2004 be received and noted, as set out in appendix 1 attached to these minutes.

Cllr Mr J Gaywood arrived at 7.55 p.m.

8. Manor Field and the Pavilion

(a) Asbestos Survey

The Committee noted that Regulation 4 of the Control of Asbestos at Work Regulations 2002 came into force on 21st May 2004 and places an explicit duty on property managers to ensure that a suitable and sufficient assessment is carried out to manage asbestos containing materials in non domestic premises. It is now illegal to use asbestos in the construction or refurbishment of any premises and due to the age of the Pavilion, it is extremely unlikely that any asbestos was used during its construction.

The Committee considered quotations from three suitably qualified consultants to undertake a type 2 sampling survey.

RESOLVED: That, the quotation from Future Green Planet dated 29th September 2004 for the sum of £500 plus VAT, to carry out a type II (standard sampling and risk assessment as defined by the Health and Safety guidance MDHS100) asbestos survey be accepted, subject to the consultant being in agreement with an alteration to the terms of payment, so that payment will be made by the Council within 28 days of receipt of the final report.

(b) Line marking

The Committee considered a report on the difficulties experienced by the line marking contractor at the start of the season and the cost of marking out the pitches on a weekly basis. In view of the comments expressed by the football club earlier in the meeting, the Committee considered weekly markings to be unnecessary at this particular time, but agreed that ground conditions may deteriorate further into the season and therefore at such time, it may be necessary to carry out additional marking outs.

RESOLVED: That, the current arrangements for marking out the pitches on a two weekly basis be continued, but the Clerk be given the authority to make arrangements for additional marking out, if deemed necessary.

(c) Electrics

It was reported that the additional double socket outlet in the cupboard will be fitted on 16th November 2004. The electrical contractor has been asked to investigate the defective PIR unit over the entrance door and carry out the necessary remedial work.

RESOLVED: That, the report be noted and the Clerk's actions be confirmed.

9. Health and Safety

The Committee considered the playground visual inspection reports undertaken on a weekly basis from 6th August to 28th October 2004 and noted that there were a number of outstanding defects; fence at Chantry Avenue, vandalised springer units at Chantry Avenue.

The Clerk reported that the defective fence referred to the close boarded fence between the recreation ground and the neighbouring property, The Bramleys, which had been the subject of a dispute over responsibility for its repair and future maintenance. At the previous meeting it had been reported that the land owner at The Bramleys had affected a number of repairs to the fence and this being the case, the Council had agreed, as a gesture of goodwill and without prejudice, to replace two complete sections of fence and repair a further three, subject to the adjoining landowner agreeing that the Council is not responsible for its future maintenance. The Council is awaiting confirmation from the landowner that he agrees with these terms, before placing the order to carry out the works.

The Council had received a quotation to effect repairs to the two vandalised springer units located at Chantry Avenue.

RESOLVED: That, the playground visual inspection reports undertaken between 6th August and 28th October 2004 be noted.

10. Notice boards

The Committee considered a quotation to replace two notice boards, one at the allotments and one at Longfield Hill recreation ground. The Committee was of the opinion that the notice board located at Longfield Hill, which has been vandalised, would benefit from some additional protection by means of placing a perspex cover over the face of the noticeboard.

RESOLVED: That, the quotations from Mr Glidewell dated 18th October 2004 for (1) supply and fit ¾ inch external plywood sign board, 4 x 2 feet with moulded frame, four coats of paint and sign written as instructed, supply and concrete in 2 new 3 x 3 inch treated posts and fix sign at Woodland Avenue allotment site for the sum of £200.00 be accepted and, (2) supply ¾ inch external plywood sign board, 3 x 3 feet with moulded frame, paint and sign write as (1) before, plus laminated byelaws glued to surface, treat existing posts and install sign for the sum of £95.00 at Longfield Hill be accepted, and (3) a sum of upto £50.00 be authorised to supply and fit a new perspex cover to the face of the noticeboard at Longfield Hill recreation ground.

11. Playgrounds

(a) The Committee considered an updated report on what action had been taken since the last meeting following a safety inspection report undertaken by RoSPA on 16th July 2004. It was reported that due to personal reasons Mr Munday had not been able to undertake the work or provide the quotations for certain remedial work as requested. In view of the nature of the repairs required, the Committee considered it may be necessary to seek alternative assistance from an alternative contractor.

RESOLVED: That, the report be noted and alternative quotations be sought for general repairs and maintenance to the play equipment, as set out in the report attached as appendix 2 to these minutes.

(b) The Committee considered a quotation from RSS Ltd to replace the two springer units located in Chantry Avenue playground.

RECOMMENDED: That, the quotation from RSS Ltd dated 22nd October 2004 to supply and fit, 1 no MEHO polythene frog springer top and 1 no replacement MEHO motorbike springer top, including labour and carriage for the

total sum of £1,008 plus VAT be accepted and that the expenditure be met from the Council's revenue reserve.

(c) The Committee considered a report on the vandalised swing seat at Woodland Avenue playground. Mr Munday has been requested to purchase and fit a replacement swing seat.

RESOLVED: That, the report be noted and the Clerk's actions confirmed.

12. Gorse Wood

(a) The Committee considered a quotation received in respect of pollarding an Ash Tree to a height of 5 metres and felling 5 no Cherry saplings. The quotation was invited in response to a letter from the owner of the property known as Heathfield complaining about branches overhanging his property from Gorse Wood. He also suggested that the trees may benefit from some "judicious management".

The Committee considered the matter at some length and suggested that the Council may wish to consider drafting a policy in respect of the management of its trees. The Committee was reminded that KAPC had in the past provided advice on overhanging branches, particularly in respect of the nuisance they may cause.

RESOLVED: That, the matter be deferred pending circulation, to each member of the Committee, of the KAPC advice in respect of overhanging branches.

(b) The Committee noted that the rubbish and holes formed to create a BMX track have been removed, but the youth are once again making efforts to reform the track.

RESOLVED: That, arrangements be made for the holes created in the footpath to form a BMX track to be filled in.

13. Rectory Meadow

It was reported that due to poor support from local residents, the Sunday volunteer work days organised by the North West Kent Country Side Project (NWKCP) have been stopped. The NWKCP intend to program the required work days into their own midweek program and so utilise their regular volunteers.

The Committee was advised that a meeting will be held with the NWKCP to consider employing a different grass cutting regime at Rectory Meadow, with a view to using a forage harvester to cut and collect the grass which will then be removed from the site, thus reducing any fire risk.

Currently the Council submits a claim under the Countryside Stewardship Scheme for educational visits to the meadow that have taken place throughout the year and the Sunday volunteer works days, attended by local residents, are considered to be educational visits, as the Project Leaders set aside part of their time for this purpose. If the Sunday volunteers' days do not take place, this means the Council will not be able to submit an annual claim for educational visits, which equates to loss in grant revenue of £500.

RESOLVED: That, the budgeted expenditure for Rectory Meadow for the year 2005/06 be increased from £1,300 to £1,800 and the revised budget be referred to the Finance and General Purposes Committee for consideration.

14. Chantry Avenue

As a result of a complaint from residents at 64 Chantry Avenue over loss of light to their rear garden allegedly caused by the trees, the Committee had sought advice and quotations from two trees surgeons.

Advice received from Above the Canopy stated that “the trees would be damaged if a reduction or a pollard were to be undertaken at this stage. Such work would be unnecessary and could reduce the longevity of the trees. The trees would be mutilated and re-grow with poor form and unsightly silhouettes. The wounds imposed would be potential entry points for wood decaying fungi.”

However, Above the Canopy further advised that should a decision be made to carry out the works to the trees, then they would recommend the following course of action. Crown thin by approximately 20%, remove any significant basal growth and epicormic trunk growth upto the first main fork. Carefully section fell adjacent wild cherry to a workable ground level and cut the stump flat in the same plane as the surrounding ground. Stump to be treated with Root Out to prevent regeneration. The total cost of the work would be £250 inclusive of VAT.

The Committee considered an alternative quotation from Austin Treework to pollard 3 no horse chestnut trees to a height of 4 metre and remove and dispose of arisings for the sum of £220 plus VAT.

RESOLVED: That the quotation from Above the Canopy dated 30th September 2004 to carry out work to the trees as set above for the sum of £250.00 inclusive of VAT be accepted.

15. Hartley Green

The Committee was informed that the order for the bench had been placed.

16. Hartley Wood

The Committee was informed that 6 affidavits have been completed and witnessed.

RESOLVED: That, an application to register part of Hartley Wood as a Village Green be completed and submitted to Kent County Council.

17. Woodland Avenue

The Committee was informed that the timber gate post adjacent to the kissing gate at the south end of the playing field is defective and is fouling the opening of the gate. Mr Munday has been requested to investigate and undertake the necessary repairs.

RESOLVED: That, the report be noted and the Clerk’s actions confirmed.

18. Date of next meeting

Wednesday 26th January 2005 at 7.30 p.m.

The meeting closed at 10.10 p.m.

Signed:.....

Date:.....

Hartley Parish Council
Summary of Receipts and Payments
 Amenities and Open Spaces

| Cost Centre | Receipts | | Payments | | Net Position Underspend (+) /Overspend (-) |
|-------------------------------|-----------------|------------------|------------------|------------------|--|
| | Estimated | Actual | Estimated | Actual | |
| 5 Allotments | 350.00 | 235.73 | 600.00 | 415.76 | 69.97 |
| 6 Open Spaces | 1,560.00 | 2,008.04 | 23,750.00 | 17,351.48 | 6,846.56 |
| 7 Manor Field Pavilion | 1,000.00 | 789.25 | 6,250.00 | 3,688.96 | 2,350.29 |
| NET TOTAL | 2,910.00 | 3,033.02 | 30,600.00 | 21,456.20 | 9,266.82 |
| | | | | | |
| Total for ALL Cost Centres | | 52,668.47 | | 60,190.35 | |
| V.A.T. | | 2,097.15 | | 3,463.21 | |
| GROSS TOTAL | | 54,765.62 | | 63,653.56 | |

Play area safety report – 16th July 2004

| Site | Equipment | RoSPA comment | Risk allocated by RoSPA | Action required | Action taken |
|----------------|-------------------|---|-------------------------|--|---|
| Chantry Avenue | Litter bins | Require emptying | None | Ongoing | Ongoing |
| | Seat | Reinstate to front | None | Monitor | None |
| | Cleanliness | Remove glass bottles | None | Ongoing | Ongoing |
| | Fencing | Knock in sharp lower rail strap corners and bolts | None | None – could not be located | None |
| | Gate | (1) Entrapment on side of gate - Adjust gate/posts/fit new rubber buffer to ensure a spacing of at least 12 mm throughout the range of the gate to remove the finger entrapment | Medium | Seek quotation from Mr Munday | Advice & quotation requested from Mr Munday 15/09/04. <i>Seek alternative quotation</i> |
| | | (2) Entrapment within control bar | Low | Seek advice from Mr Munday | <i>Seek alternative advice</i> |
| | Basketball net | Net board too low (should be 3 m) | None | Monitor | None |
| | Cradle seat swing | Dry bearings - Treat with oil, grease or silicon spray according to suppliers instructions | None | Instruct Mr Munday to undertake work | Mr Munday requested to undertake work 15/09/04. <i>Seek alternative quotation</i> |
| | Cradle seat swing | Surface lifting – Re glue and fill gaps and joints as necessary | Low | Seek advice and quotations from specialist | Letter sent to Park Leisure 15/09/04 requesting site meeting to discuss. Met Park Leisure on site 19/10/04 to inspect surface – minimal lifting – continue to monitor |

APPENDIX 2

| | | | | | |
|-------------------|-------------------|--|---------------|--|--|
| | | | | | Met Abacus on site 26/10/04 to inspect surface – minimal lifting – continue to monitor |
| Chantry Av cont'd | Junior seat swing | Dry bearings - Treat with oil, grease or silicon spray according to suppliers instructions | None | Instruct Mr Munday to undertake work | Mr Munday requested to undertake work 15/09/04. <i>Seek alternative quotation</i> |
| | Junior seat swing | Some chain wear – monitor for further deterioration and replace at 40% wear. Check at next annual inspection | None | Monitor | None |
| | Junior seat swing | Insufficient protective surfacing has been provided to meet the recommendations of EN1176 | Low | Monitor | None |
| | Junior seat swing | Surface lifting – Re glue and fill gaps and joints as necessary | Medium | Seek advice and quotations from specialist | Letter sent to Park Leisure 15/09/04 requesting site meeting to discuss. Met Park Leisure on site 19/10/04 to inspect surface – await quotation for renewal Met Abacus on site 26/10/04 – await quotation to renew red insert below swing. Padlock swing to prevent use 26/10/04 |
| | Slide | Treads do not meet width requirements of EN1176 | Low | Monitor | None |
| | Slide | Spacing between barrier bars is in excess of 89mm EN1176 | Low | Monitor | None |
| | Slide | Surface lifting at edge | None | Monitor | None Met Park Leisure on site 19/10/04 to inspect surface – minimal lifting at |

APPENDIX 2

| | | | | | |
|----------------------|------------------|---|------|---|--|
| | | | | | edge – continue to monitor Met Abacus on site 26/10/04 to inspect surface – minimal lifting at edge – continue to monitor |
| Chantry Av cont'd | Motorbike spring | Secure loose hand grip | Low | Grip has been further vandalised since report – seek quotation for repair | Letter sent to Park Leisure 15/09/04 requesting site visit to discuss. Email sent to MEHO re obtaining replacement parts 15/09/04. RSS Ltd only local stockists of MEHO play equipment. Quotations returned from Park Leisure and RSS Ltd to be considered at next A & OS Committee on 10/10/04 Warning notice placed on equipment 30/9/04 “Do not use” |
| | Motorbike spring | Safety surface fails EN1176 as hard edging/foundation is within impact area | Low | Monitor | None |
| Chantry Av cont'd | Frog spring | Tighten loose bolts, smooth rough edges | None | Unit has been further vandalised – seek quotation for replacement | Mr Munday has been asked to file off rough edges to vandalised seat 9/9/04. Complete. Letter sent to Park Leisure 15/09/04 requesting site meeting to discuss. Email sent to MEHO 15/09/04 re obtaining replacement parts. RSS Ltd only local stockists of MEHO play equipment. Quotations returned from Park Leisure and RSS Ltd to be considered at next A & OS Committee on 10/10/04 Warning notice placed on equipment 30/9/04 “Do not use” |

APPENDIX 2

| | | | | | |
|--|-----------------|---|------|--|---|
| | Frog spring | Safety surface fails EN1176 as hard edging/foundation is within impact area | Low | Monitor | None |
| | Roundabout | Under board to platform requires re-fixing | Low | Seek advice from specialist contractor | Letter sent to Park Leisure 15/09/04 requesting site meeting to discuss. Met Park Leisure on site 19/10/04 – awaiting quotation to repair/replace under board to platform <i>Seek quotation from RSS Ltd</i> |
| | Roundabout | Insufficient protective surfacing has been provided to meet recommendations of EN1176 | Low | Monitor | None. Inspected on 19/10/04 with Park Leisure and on 26/10/04 with Abacus |
| | 2 x goals | Reinstate eroded ground | None | Seek quotation to re-turf goal mouths <i>Monitor</i> | Quotation requested from Mr Munday 15/09/04. <i>No further action</i> |
| | Basketball post | Net/board should be 3m | None | Monitor | None |

| | | | | | |
|-----------------|----------|--------------------|------|---|---|
| Woodland Avenue | Pathways | Reinstate at gates | None | Seek quotation to turf around 1 no access gate and apply herbicide to tarmac path | Quotation requested from Mr Munday 15/09/04. <i>Seek alternative quotation</i> |
|-----------------|----------|--------------------|------|---|---|

APPENDIX 2

| | | | | | |
|----------|-------------|--|---------------|--|---|
| | Signs | Recommend signage fixed to fence/gate of play area | None | Seek clarification from RoSPA over wording on sign | Letter sent to ROSPA requesting details of signage required 15/09/04. Advice received 22/10/04 – Dog ban and ownership signs recommended, plus curfew time at ground if enforceable, plus age range, i.e. 5-12 years. <i>Seek quotation to sign write (as above)</i> |
| | Cleanliness | Considerable litter on site | None | Monitor | Ongoing (litter removed under routine maintenance contract) |
| | Road signs | Recommended | None | Install warning signs | Letter written to SDC 25/3/03 requesting road warning signs. Signs erected last year. |
| | Surface | Infill gaps in tarmac at edge of bitmac | Low | Monitor | None |
| | | Level up edgings at edge of bitmac | Medium | Seek quotation to lay topsoil on grass at tarmac edge | Quotation requested from Mr Munday 15/09/04. <i>Seek alternative quotation</i> |
| | Planting | Cut back from gate adjacent to ball wall | None | Instruct Mr Munday to ensure trees cut back from kissing gate | Quotation requested from Mr Munday 15/09/04. <i>Seek alternative quotation</i> |
| | | Cut back bushes from fence | None | Monitor | None |
| Woodland | Roundabout | Clearance between the underside of the roundabout and the surface is incorrect (EN1176). Re install roundabout or raise surfacing. Recommended height 60-110 mm for 300 mm from edge | Low | Request Park Leisure carry out necessary work to ensure clearance complies with EN1176 | Letter sent to Park Leisure 15/09/04 requesting written confirmation that the work has been carried out and now complies with EN1176. Letter dated 27th October 2004 from Park Leisure confirming they have inspected roundabout and it does comply with clearance requirements of BSN1176. |

| | | | | | |
|------------------------|---------------|--|------------|---|---|
| Avenue cont'd | | | | | |
| | Roundabout | Some bearing movement . Monitor and check at next annual inspection | None | Monitor | None |
| | Slide | Treads do not comply with width requirements of EN1176 | Low | Monitor | None |
| | Slide | Supports are within falling/free space area | Low | Monitor | None |
| | Slide | Access fails entrapment requirements | Low | Monitor | None |
| | Slide | Toggle entrapment between slide and guard | Low | Monitor | None |
| | Slide | Decay to slide support bars | None | Monitor | None |
| | Slide | <i>Insufficient protective surfacing has been provided to meet recommendations of EN1176</i> | <i>Low</i> | Tiles have been replaced with wet pour safety surface since the date of the report. | None |
| | Slide | <i>Uneven tiles area</i> | <i>Low</i> | Tiles have been replaced with wet pour safety surface since the date of the report. | None |
| | Junior swings | Remove excess chains | None | Instruct Mr Munday to cut off excess chain | Quotation requested from Mr Munday 15/09/04. <i>Seek alternative quotation</i> |
| | Junior swings | Loose swing seat eye bolts - Tighten connecting nuts | Low | Instruct Mr Munday to tighten nuts | Quotation requested from Mr Munday 15/09/04. <i>Seek alternative quotation</i> |
| Woodland Avenue cont'd | Junior swings | Insufficient protective surfacing has been provided to meet the requirements of EN1176 | Low | Tiles to be replaced with new wet pour during 2005/06 | Seek quotations for work to be undertaken during 2005/06 |
| | Junior swings | Tiles uneven | Low | Tiles to be replaced | Seek quotations for work to be |

APPENDIX 2

| | | | | | |
|--|---------------|---|---------------|---|---|
| | | | | with new wet pour during 2005/06 | undertaken during 2005/06 |
| | Junior swings | Surface lifting – Re glue and fill gaps and joints as necessary | Medium | Tiles to be replaced with new wet pour during 2005/06 | Seek quotations for work to be undertaken during 2005/06 |
| | Ball wall | Warning notice to be fitted “Do not climb on the equipment and do not hang on the ring” | None | Seek quotation to supply and fix sign | Stock Signs contacted 16/09/04 to arrange a free site visit to advise on type of sign & fixing method. Awaiting contact re date. Stock Sign quoted £33.17 plus VAT & delivery (£6.45) to supply 600 x 450 mm aluminium sign predrilled. Sign to be fix to weld mesh using thread wire. <i>Order sign</i> |
| | Ball wall | Sweep stones off carpet, remove weeds | None | Seek advice on weed removal from carpet | Ongoing (surface kept clear under routine maintenance contract) |
| | Goal posts | Reinstate eroded area | None | Seek quotation to turf goal mouths | Quotation requested from Mr Munday 15/09/04. <i>Seek alternative quotation</i> |
| | | Warning sign to be fitted to all sports equipment “Do not climb on the equipment” | None | Seek quotation to supply and fix sign | Stock Signs contacted 16/09/04 to arrange a free site visit to advise on type of sign & fixing method. Awaiting contact re date. Stock Sign suggest vinyl self adhesive sign 100 mm wide x 300 mm deep to be fitted to each upright at a cost of £2.67 each plus VAT and delivery (£6.45). <i>Order signs for 4 no uprights</i> |

| | | | | | |
|-------------------|---------------|---|------|----------------------------|---|
| Manor Road | Litter bin | Replace top | None | Ask SDC to replace top | Email sent to Richard Wells of SDC requesting confirmation of action to be taken 15/09/04. R Wells has confirmed he will investigate 28/09/04 |
| | Ditto | RoSPA recommends litter bins should not be closer than 2 m from seats and gates | None | Inform SDC | Email sent to Richard Wells of SDC requesting confirmation of action to be taken 15/09/04. <i>Bin removed exposing bolts – request action to make safe</i> |
| | Seats | Remove rough edges | None | Seek quotation | Quotation requested from Mr Munday 15/09/04. <i>Seek alternative quotation</i> |
| | Ditto | Replace missing frame caps | None | Monitor | None |
| | Road signs | Recommended | None | Install warning road signs | Letter written to SDC 25/3/03 requesting road warning signs. Signs have been erected on the southbound approach but not the northbound. Dartford BC written to again 16/09/04 to request urgent action. |
| Manor Road cont'd | Swings | Movement clash | Low | Monitor | None |
| | Other hazards | Monitor conflict between play area/cricket pitch/stray balls | None | Monitor | None |
| | Paths | Tree roots and concrete | None | Lay wood chips on | Quotation requested from Mr Munday |

APPENDIX 2

| | | | | | |
|--|---------------|---|---------------|---|---|
| | | present trip hazard from road | | surface | for spreading of woodchips 15/09/04. <i>Seek alternative quotation</i> |
| | Junior swings | Remove excess chain | None | Instruct Mr Munday to cut off excess chains | Quotation requested from Mr Munday 15/09/04. <i>Seek alternative quotation</i> |
| | Slide | Treads do not comply with width requirements of EN1176 | Low | Monitor | None |
| | Ditto | Access fails entrapment | Low | Monitor | None |
| | Ditto | Supports are within falling free space area | Low | Monitor | None |
| | Ditto | Toggle entrapment between slide guard | Low | Monitor | None |
| | Ditto | Radius corners of projecting lugs and brackets | Low | Monitor | None |
| | Slide | Build up ground levels to remove trip hazard | Medium | Seek quotation to lay topsoil at edges | Quotation requested from Mr Munday 15/09/04. <i>Seek alternative quotation</i> |
| | | No timber edging has been used around safer surfacing tiles. Edging recommended | None | Monitor | None |